

Patents and Patent Applications Subject to Revocation and Substitute Power of Attorney Exhibit B

| * #Yeileith   |  | Application # | Application/Filing 💝 | Grankleate |
|---------------|--|---------------|----------------------|------------|
| 15436.432.4   | Flexible Optic Connector Assembly  |               | 31-Dec-96            |            |
| 4             | Flexible Optic Connector Assembly  | 10/136817     | 30-Apr-02            |            |
| 15436.432.6.1 | Fiber Optic Header With Integrated Power Monitor   | 09/481627     | 12-Jan-00            |            |
|               | Multiple Pack Active Device Receptacle   | 08/795029     | 14-Feb-97            |            |
| 15436.432.7.2 | Fiber Optic S-Bend Connector   | 08/814458     | 10-Mar-97            |            |
| 15436.433.3.3 | 1  | 10/350840     | 24-Jan-03            |            |
| 15436.433.4.1 | Coupled Cavity Anti-Guided Vertical Cavity Surface<br>Emitting                                   | 10/147136     | 13-May-02            |            |
| 15436.433.6.1 | Metamorphic Long Wavelength High Speed Photodiode  | 10/413186     | 14-Apr-03            |            |
| 15436.434.1.1 | Integration of Top-Emitting and Top-Illuminates<br>Optoelectron                                  | 10/284863     | 31-Oct-02            |            |
| 15436.434.1.2 | Integration of Top-Emitting and Top-Illuminates Optoelectron                                     | 09/547538     | 12-Apr-00            |            |
| 15436.434.2.1 | Method and Apparatus For Hermetically Sealing Photonic Device                                    | 10/444796     | 22-May-03            |            |
| 15436.434.3.1 | Mechanical Stabilization of Lattice Mismatched Quantum Wells                                     | 10/634558     | 4-Aug-03             |            |
|               | Hermetic Chip-Scale Package For Photonic Devices   | 09/342801     | 29-Jun-99            |            |
|               | System and Method for Vcsel Polarization Control   | 09/577034     | 23-May-00            |            |
|               | Protective Side Wall Passive for Vcsel Chips   | _             | 31-Aug-00            |            |
| 15436.434.7.1 | Protective Side Wall Passive for Vcsel Chips   | 10/427337     | 1-May-03             |            |
| 15436.435.1   | Versatile Method and System for Single Mode Vcsels   | 09/724820     | 28-Nov-00            |            |
| 15436.435.1.1 | Versatile Method and System for Single Mode Vcsels   | 10/617290     | 10-Jul-03            |            |
| 15436.435.1.2 | Versatile Method and System for Single Mode Vcsels   | 10/617892     | 11-Jul-03            |            |
| 15436.435.2   | Resonant Reflector For Use With Optoelectric Devices   | 09/751422     | 29-Dec-00            |            |
| 15436.435.3   | Spatially Modulated Reflector For an Optoelectric Device   | 09/751423     | 29-Dec-00            |            |
| 15436.435.4   | Apparatus and Method Providing a Balancing Load to a<br>Laser Differential Drive Circuit         | . 09/803821   | 12-Mar-01            |            |
| 15436.435.5   | Method and Apparatus For Producing Vosels with<br>Dielectric Mirrors and Self-Aligned Gain Guide | 09/881167     | 14-Jun-01            |            |
| 15436.435.6   | Methods and Systems for Wafer Level Burn-In of<br>Electronic De                                  | 60/311916     | 13-Aug-01            |            |

Patents and Patent Applications Subject to Revocation and Substitute Power of Attorney **Exhibit B** 

| 15436.435.7   | Laser Light Sources Having Integrated Detector and Intensity Control and Methods of Producing Same            | 09/970073 | 20-Oct-01 |  |
|---------------|---|-----------|-----------|--|
| 15436.436.1   | Method and System for Releasing a Pluggable Module  | 10/006103 | 6-Dec-01  |  |
| 15436.436.2   | Vertical Cavity Surface Emitting Laser Including Indium<br>Antimony and Nitrogen in the Active Region         | 10/026016 | 20-Dec-01 |  |
| 15436.436.3   | Vertical Cavity Surface Emitting Laser Including Indium Antimony and Nitrogen in the Active Region            | 10/026019 | 20-Dec-01 |  |
| 15436.436.4   | Vertical Cavity Surface Emitting Laser Including Indium Antimony and Nitrogen in the Active Region            | 10/026055 | 20-Dec-01 |  |
| 15436.436.5   | Vertical Cavity Surface Emitting Laser Including Indium<br>Antimony and Nitrogen in the Active Region         | 10/026020 | 27-Dec-01 |  |
| 15436.436.6   | Indium Free Vertical Cavity Surface Emitting Laser  | 10/026044 | 27-Dec-01 |  |
| 15436.436.7   | Submount For Vertical Cavity Surface Emitting Laser and Detectors   | 10/028288 | 28-Dec-01 |  |
| 15436.436.8   | Current Confinement, Capaitance Reduction and Isolation of VCSELs Using Deep Elemental Traps                  | 10/028303 | 28-Dec-01 |  |
| 15436.437.1   | Asymmetric Distribute Bragg Reflector for Vertical Cavity Surface Emitting Lasers                             | 10/028435 | 28-Dec-02 |  |
| 15436.437.2   | Gain Guide Implant in Oxide Vertical Cavity Surface<br>Emitting Laser   | 10/028436 | 28-Dec-02 |  |
| 15436.437.3   | Vertical Cavity Surface Emitting Laser Having a Gain<br>Guide Aperture Interior to an Oxide Confinement Layer | 10/028437 | 28-Dec-01 |  |
| 15436.437.4   | Wavelength Division Multiplexed Vertical Cavity Surface<br>Emitting Laser                                     | 10/028438 | 28-Dec-01 |  |
| 15436.437.5   | Integral Vertical Cavity Surface Emitting Laser and Power Monitor   | 10/028439 | 28-Dec-01 |  |
| 15436.437.6   | Tunable Laser Assembly  | 10/037010 | 31-Dec-01 |  |
| 15436.437.7   | Optoelectric Devices and Methods of Production  | 10/037013 | 31-Dec-01 |  |
| 15436.437.7.1 | Optoelectric Devices and Methods of Production  | 10/669220 | 24-Sep-03 |  |
| 15436.437.8   | Long-Wavelength VCSEL Bottom Mirror   | 10/078422 | 21-Feb-02 |  |
| 15436.438.1   | Carbon Doped GaASSb Suitable for Use in Tunnel Junctions of Long-Wavelength VCSELs                            | 10/078473 | 21-Feb-02 |  |
| 15436.438.2   | GaAs/Al (Ga)AS Distributed Bragg Reflector on InP   | 10/078474 | 21-Feb-02 |  |
| 15436.438.3   | Resonant Reflector for Increased Wavelength and Polarization Control  | 10/121490 | 12-Apr-02 |  |
| 15436.438.4   | Methods and Systems for Removing an Oxide-Induced Dead Zone in a Semiconductor Device Structure               | 10/156324 | 24-May-02 |  |
| 15436.438.5   | Wavelength Selective Detector   | 10/162928 | 4-Jun-02  |  |

Exhibit B

## Patents and Patent Applications Subject to Revocation and Substitute Power of Attorney

|              | F  |           |           |  |
|--------------|--|-----------|-----------|--|
| 15436.438.6  | Optical Transceiver  | 10/163057 | 4-Jun-02  |  |
| 15436.438.7  | Method and Apparatus For Monitoring the Power of a Multi-Wavelength Optical Signal               | 10/163440 | 4-Jun-02  |  |
|              | Atomic Hydrogen as a Surfactant in Production of Highly Strained InGaAs InGaAsN InGaAsNSb and/or |           |           |  |
| 15436.438.8  | GaAsNSb Quantum Wells  | 10/219425 | 14-Aug-02 |  |
| 15436.438.9  | Single Mode VCSEL  | 10/232382 | 3-Sep-02  |  |
| 15436.439.1  | Hybrid Mirror VCSELS   | 10/233112 | 3-Sep-02  |  |
| 15436.439.2  | Nitrogen Sources for Molecular Beam Epitaxy  | 10/233625 | 4-Sep-02  |  |
| 15436 439 3  | Oxide Confined VCSEL With a Thin Oxide and Enhanced Conduction                                   | 10/283381 | 28-04-02  |  |
|              | Long-Wavelength Vertical Cavity Surface Emitting Lasers  | 1         | 30-Det-02 |  |
| <u>ر</u>     | Selectively-Etchable Heterogeneous Composite<br>Distributed Braco                                |           | 30-04-02  |  |
|              | Method and Apparatus for Monitoring the Power Level of Two                                       |           | 30-Oct-02 |  |
| 15436.439.7  | High Speed Optical Transceiver Package Using Heterogeneous                                       | 1         | 11-Nov-02 |  |
| 15436.439.8  | Long Wavelength VCSEL With Tunnel Junction and Implant   | 10/301380 | 21-Nov-02 |  |
| 15436.439.9  | Bidirectional Optical Device   | 10/308308 | 3-Dec-02  |  |
| 15436.440.1  | Optical Transceiver (CIP of 15436.438.6.1)   | 10/316355 | 11-Dec-02 |  |
| 15436.440.10 | Pluggable Optical Optic System Having a Lens Fiber Stop  | 10/456123 | 6-Jun-03  |  |
| 15436.440.11 | INP Base Long Wavelength VCSEL   | 10/606104 | 25-Jun-03 |  |
| 15436.440.12 | A Dielectric VCSEL Gain Guide  | 10/607629 | 27-Jun-03 |  |
| 15436.440.13 | VCSEL Having Thermal Management  | 10/607758 | 27-Jun-03 |  |
| 15436.440.14 | Enhanced Lateral Oxidation   | 10/607887 | 27-Jun-03 |  |
| 15436.440.2  | Angled Wafer Rotating Ion Implantation   | 10/323889 | 20-Dec-02 |  |
| 15436.440.3  | Material System for Bragg Reflector in Long Wavelength VCSEL                                     | 10/323923 | 20-Dec-02 |  |
| 15436.440.4  | Zero-Clearance Receptacle Design For Single Mode Optical Fib                                     | 10/347789 | 22-Jan-03 |  |
| 15436.440.5  | Wafer Integration of Micro-Optics  | 10/351710 | 27-Jan-03 |  |
| 15436.440.6  | System and Methods Using Migration Enhanced Epitaxy For Flat                                     |           | 27-Jan-04 |  |
| 15436.440.7  | Connectorized Optical Component Misaligned Detection System                                      | 10/430941 | 7-May-03  |  |
| 15436.440.8  | VCSEL Mode-Transforming Phase Filter With Enhanced Performance                                   | 10/436069 | 13-May-03 |  |
|              |  |           |           |  |

Patents and Patent Applications Subject to Revocation and Substitute Power of Attorney **Exhibit B** 

| 15436.440.9  | Integrated Sleeve Pluggable Package   | 10/453307 | 3-Jun-03  |         |           |
|--------------|---|-----------|-----------|---------|-----------|
| 15436.441.1  | Compact Package Design for Vertical Cavity Surface<br>Emitting Laser  | 10/607982 | 30-Jun-03 |         |           |
| 15436.441.10 | Tunnel Junction Utilizing GAPSB, ALGAPSB  | 10/697028 | 31-Oct-03 |         |           |
| 15436.441.11 | Modulation Doped Tunnel Junction  | 10/706906 | 14-Nov-03 |         |           |
| 15436.441.2  | High Speed Optical System   | 10/610256 | 30-Jun-03 |         |           |
| 15436.441.3  | A Lens Optical Coupler  | 10/612660 | 2-Jul-03  |         |           |
| 15436.441.4  | Pseudomorphic Layer in Tunnel Junction VCSEL  | 10/611992 | 30-Jul-03 |         |           |
| 15436.441.5  | An Optical Coupling System  | 10/620489 | 16-Jul-03 |         |           |
| 15436.441.6  | Coupler Having Reduction of Reflections to Light Source   | 10/620512 | 16-Jul-03 |         |           |
| 15436.441.7  | Optical Coupling System   | 10/622042 | 17-Jan-03 |         |           |
| 15436.441.8  | Edge Bead Control Method and Apparatus  | 10/623351 | 18-Jul-03 |         |           |
| 15436.441.9  | Long Wavelength VCSEL Device Processing   | 10/697660 | 29-Oct-03 |         |           |
| 15436.431.1  | Optical Connector Configured to Facilitate Active Alignment of a Photoelectric Device With an Optic Fiber                                       | 07/916785 | 17-Jul-92 | 5231686 | 27-Jul-93 |
| 15436.431.2  | Emitting With Structures Located at Positions Which Prevent Certain Disadvantageous Modes and Enhance Generation of Light in Advantageous Modes | 07/909270 | 6-Jul-92  | 5264715 | 23-Nov-93 |
| 15436.431.3  | Inhibited Laser Power Monitor   | 08/175016 | 29-Dec-93 | 5475701 |           |
| 15436.431.4  | Multi-Gigahertz Frequency-Modulated Vertical-Cavity Surface Emitting Laser  | 08/476965 | 7-Jun-95  | 5574738 | 12-Nov-96 |
| 15436.431.5  | Light Source Monitor With Compensated Tracking Ratio  | 08/739471 | 28-Oct-96 | 5737348 | 7-Apr-98  |
| 15436.431.6  | Self Limiting Intrinsically Eye-Safe Laser Utilizing an Increasing Absorption Layer   | 08/683277 | 18-Jul-96 | 5745515 | 28-Apr-98 |
| 15436.431.7  | Current Confinement For a Vertical Cavity Surface<br>Emitting L   | 08/671995 | 28-Jun-96 | 5767674 | 9-Jun-98  |
| 15436.431.8  | Filamented Multi-Wavelength Vertical Cavity Surface<br>Emitting Laser   | 08/734403 | 16-Oct-96 | 5774487 | 30-Jun-98 |
| 15436.431.9  | Semiconductor Device With a Laser and a Photodetector in a Common Container   | 08/687701 | 26-Jul-96 | 5799030 | 25-Aug-98 |
| 15436.431.10 | Apparatus For Determining the Effect of Modal Noise on a Communicating System by Flexing an Optical Fiber                                       | 08/743367 | 4-Nov-96  | 5805318 | 8-Sep-98  |
| 15436.431.11 | Lens For a Semi-Conductor Device With a Laser and Photodetector   | 08/686895 | 26-Jul-96 | 5812518 | 22-Sep-98 |

Patents and Patent Applications Subject to Revocation and Substitute Power of Attorney Exhibit B

|               | Apparatus For Determining the Effect of Modal Noise on a Communication System by Affecting an Ontical Fiber |           |           |         |           |
|---------------|---|-----------|-----------|---------|-----------|
| 15436.431.12  | Discontinuity   | 08/743369 | 4-Nov-96  | 5841915 | 24-Nov-98 |
| 15436.431.13  | Fabrication of Vertical Cevity Surface Emitting Laser With Current Confinement                              | 08/843116 | 28-Apr-97 | 5893722 | 13-Apr-99 |
| 15436.431.14  | Laser With Selectively Changed Current Confining Layer  | 08/812620 | 6-Mar-97  | 8892069 | 11-May-99 |
| 15436.431.15  | Laser With an Improved Mode Control   | 08/674230 | 28-Jun-96 | 5940422 | 17-Aug-99 |
| 15436.431.16  | Monolithic Vertical Cavity Surface Emitting Laser And Resonant Cavity Photodetector Transceiver             | 08/736803 | 25-Oct-96 | 5978401 | 2-Nov-99  |
| 15436.432.1   | Resonant Reflector For Improved Optoelectronic Device Performance and Enhanced Applicability                | 08/872534 | 11-Jun-97 | 6055262 | 25-Apr-00 |
| 15436.432.2   | Bandgap Isolated Light Emitter  | 08/989734 | 12-Dec-97 | 6064683 | 16-May-00 |
| 15436.432.3   | Vertical Cavity Surface Emitting Laser Having Intensity Control   | 09/001894 | 31-Dec-97 | 6069905 | 30-May-00 |
| 15436.432.4.1 | Flexible Optic Connector Assembly   | 09/134229 | 14-Aug-98 | 6069991 | 30-May-00 |
| 15436.432.4.2 | Flexible Optic Connector Assembly   | 09/135412 | 14-Aug-98 | 6088498 | 11-Jul-00 |
| 15436.432.4.3 | Flexible Optic Connector Assembly   | 09/268191 | 15-Mar-99 | 6404960 | 11-Jun-02 |
| 15436.432.5   | Method For Controlling the Operation of a Laser   | 08/813751 | 7-Mar-97  | 6078601 | 20-Jun-00 |
| 15436.432.6   | Fiber Optic Header With Integrated Power Monitor  | 09/119089 | 20-Jul-98 | 6081638 | 27-Jun-00 |
| 15436.432.7   | Active Device Receptacle  | 08/664039 | 13-Jun-96 | 6086263 | 11-Jul-00 |
| 15436.432.8   | Chip-To-Interface Alignment   | 09/052643 | 31-Mar-98 | 6095697 | 1-Aug-00  |
| 15436.433.1   | Flexible Hermetic Sealing   | 08/995690 | 22-Dec-97 | 6194789 | 27-Feb-01 |
| 15436.433.2   | Fiber Optic Header For an Edge Emitting Laser   | 09/119273 | 20-Jul-98 | 6205274 | 20-Mar-01 |
| 15436.433.3   | Vcsel Structure Insensitive to Mobile Hydrogen  | 08/989731 | 12-Dec-97 | 6256333 | 3-Jul-01  |
| 15436.433.3.1 | Vcsel Structure Insensitive to Mobile Hydrogen  | 09/819029 | 30-voN-06 | 6459719 | 1-Oct-02  |
| 15436.433.3.2 | Vcsel Structure Insensitive to Mobile Hydrogen  | 09/819024 | 30-Nov-00 | 6522680 | 18-Feb-03 |
| 15436.433.4   | Coupled Cavity Anti-Guided Vertical Cavity Surface-<br>Emitting Laser                                       | 09/387424 | 31-Aug-99 | 6411638 | 25-Jun-02 |
| 15436.433.5   | Method and System For Versatile Optical Sensor Package  | 09/607048 | 30-Jun-00 | 6465774 | 15-Oct-02 |
| 15436.433.6   | Metamorphic Long Wavelength High Speed Photodiode   | 09/766797 | 22-Jan-01 | 6558973 | 6-May-03  |
| 15436.434.1   | Integration of Top-Emitting and Top-Illuminates<br>Optoelectron Integrated Circuit Device                   | 09/724249 | 28-Nov-00 | 922999  | 1-Jul-03  |
| 15436.434.2   | Method and Apparatus For Hermetically Sealing Photonic Devices  | 09/224210 | 30-Dec-98 | 6588949 | 8-Jul-03  |
| 15436.434.3   | Mechanical Stabilization of Lattice Mismatched Quantum Wells  | 09/217223 | 21-Dec-98 | 6603784 | 5-Aug-03  |
| 15436.434.4   | Graded Thickness Optical Element and Method of<br>Manufacture Therefor                                      | 09/975299 | 10-Oct-01 | 6606199 | 12-Aug-03 |

PATENT Docket No.: 15436.441.9

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| In re application of |   | )           |
|----------------------|---|-------------|
|                      | Biard, et al.                           | )           |
| Serial No.:          | 10/697,660                              | ) Art Unit  |
| Confirmation No.:    | 8412                                    | ) 1765<br>) |
| Filed:               | October 29, 2003                        | . )         |
| For:                 | LONG WAVELENGTH VCSEL DEVICE PROCESSING | )           |
| Examiner:            | Unassigned                              | )           |

## **CHANGE OF ATTORNEY DOCKET NUMBER**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

For convenience and ready identification of the papers received in connection with the above-identified patent application, please reference in all future communications my Docket No. 15436.441.9.

All correspondence and telephonic communications should be directed to:

ERIC L. MASCHOFF
022913
Customer Number

Telephone: (801) 533-9800 Facsimile: (801) 328-1707

DATED this 1 day of July

Respectfully submitted,

R. BURNS ISRAELSEN

Attorney for Applicant Registration No. 43,685

Customer No. 022913

RBI:kk KKK0000003582V001